

mobius

Exponents - Fractional Exponents with Non-Square Integer Base - Exponent to



<u> </u>	-Square Integer I	Base - Exponent	to
to make it edolor to	ored Exponent	2 Factor the base number to make it easier to	A B $(2 \cdot 2 \cdot 3 \cdot 13)^{(\frac{1}{2})} (2 \cdot 2 \cdot 3 \cdot 11)^{(\frac{1}{2})}$
solve	B $(2 \cdot 2 \cdot 2 \cdot 2 \cdot 5 \cdot 11)^{(\frac{1}{2})}$	solve	(2 · 2 · 3 · 13) · 1 · (2 · 2 · 3 · 11) · 1 ·
$gn(\frac{1}{2})$	$\begin{array}{c} C & (2 \cdot 4 \cdot 2 \cdot 5)^{(\frac{1}{2})} \end{array}$	$1 0 \left(\frac{1}{2} \right)$	
$80^{(\frac{1}{2})}$	$^{D} \left(2\cdot 2\cdot 2\cdot 2\cdot 5\cdot 13\right)^{\left(\frac{1}{2}\right)}$		
	$ \begin{array}{c} E & (2 \cdot 2 \cdot 2 \cdot 2 \cdot 3 \cdot 5)^{(\frac{1}{2})} \\ F & (2 \cdot 2 \cdot 2 \cdot 2 \cdot 3 \cdot 5)^{(\frac{1}{5})} \end{array} $		$\begin{bmatrix} E & F \\ (2 \cdot 2 \cdot 3 \cdot 7)^{(\frac{1}{2})} (2 \cdot 2 \cdot 3 \cdot 3)^{(\frac{1}{2})} \end{bmatrix}$
• Factor the base number	(2 · 2 · 2 · 2 · 5)(2)		Δ (1)
factor the base number to make it easier to solve	$(2\cdot 2\cdot 2\cdot 2\cdot 3)^{(2)}$	to make it easier to solve	
(1)	(2.2.2.3)(2)		(2 · 2 · 2 · 2 · 9) (2)
$24^{(\frac{1}{2})}$	$\begin{array}{c} C & (2 \cdot 2 \cdot 2 \cdot 3 \cdot 3)^{(\frac{1}{2})} \\ D & (2 \cdot 2 \cdot 2)^{(\frac{1}{2})} \end{array}$	$144^{(\frac{1}{2})}$	$ \begin{array}{c} C & (2 \cdot 2 \cdot 2 \cdot 3 \cdot 3)^{(\frac{1}{2})} \\ D & (2 \cdot 2 \cdot 4 \cdot 3 \cdot 3)^{(\frac{1}{2})} \end{array} $
24 \2/		144(2)	
	$\frac{(2 \cdot 2 \cdot 2 \cdot 3 \cdot 13)^{(2)}}{(2 \cdot 2 \cdot 6)^{(\frac{1}{2})}}$		
5 Factor the base number	$(2 \cdot 2 \cdot 0)^{(\frac{1}{2})}$ A $(2 \cdot 2 \cdot 3 \cdot 5)^{(\frac{1}{2})}$	6 Factor the base number	$\begin{array}{ccc} (2 \cdot 2 \cdot 2 \cdot 2 \cdot 3)^{(\frac{1}{2})} \\ & (2 \cdot 2 \cdot 2 \cdot 2 \cdot 2)^{(\frac{1}{2})} \end{array}$
to make it easier to solve	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	to make it easier to solve	$\frac{(2 \cdot 2 \cdot 2 \cdot 2)^{\frac{1}{2}}}{(2 \cdot 2 \cdot 2 \cdot 4)^{(\frac{1}{2})}}$
(1)	$(2 \cdot 2 \cdot 9 \cdot 5)^{(\frac{1}{2})}$	(1)	$(2 \cdot 2 \cdot 2 \cdot 2 \cdot 2 \cdot 7)^{(\frac{1}{2})}$
1 12 0(5)	D $(2 \cdot 2 \cdot 3 \cdot 15)^{(\frac{1}{2})}$	マク (ラノ	D $(2\cdot 2\cdot 4\cdot 2)^{(\frac{1}{2})}$
100 -	E $(2 \cdot 2 \cdot 3 \cdot 3 \cdot 5)^{(\frac{1}{2})}$	J Z \ '- '	$E \qquad (2\cdot 2\cdot 2\cdot 2)^{(\frac{1}{2})}$
	$F(2 \cdot 2 \cdot 2 \cdot 3 \cdot 3 \cdot 5)^{(\frac{1}{2})}$		F $(2 \cdot 2 \cdot 2 \cdot 2 \cdot 2 \cdot 2)^{(\frac{1}{2})}$
7 Factor the base number to make it easier to	^A $(2 \cdot 2 \cdot 2 \cdot 2 \cdot 5)^{(\frac{1}{2})}$	Factor the base number to make it easier to	^A $(2 \cdot 2 \cdot 2 \cdot 2 \cdot 3 \cdot 13)^{(\frac{1}{2})}$
solve	$^{B} (2\cdot 2\cdot 2\cdot 2\cdot 7)^{(\frac{1}{2})}$	solve	$^{B} \qquad (2\cdot 2\cdot 2\cdot 3)^{(\frac{1}{2})}$
$16^{(\frac{1}{2})}$	$^{C} \qquad (2\cdot 2\cdot 2\cdot 2)^{(\frac{1}{2})}$	$\log(\frac{1}{2})$	$^{C} \qquad (2\cdot 2\cdot 2\cdot 2)^{(\frac{1}{2})}$
$16^{(\frac{1}{2})}$	D $(2 \cdot 2 \cdot 2 \cdot 2 \cdot 2)^{(\frac{1}{2})}$	48 \2/	D $(2 \cdot 2 \cdot 2 \cdot 2 \cdot 3 \cdot 11)^{(\frac{1}{2})}$
± O	$(2 \cdot 2 \cdot 2 \cdot 2 \cdot 11)^{(\frac{1}{2})}$	10	$(2 \cdot 2 \cdot 2 \cdot 2 \cdot 3)^{(\frac{1}{2})}$
	$(2\cdot 4\cdot 2)^{(\frac{1}{2})}$		$ (2 \cdot 2 \cdot 2 \cdot 6)^{\left(\frac{1}{2}\right)} $