Math worksheet on *'Pythagorean Theorem - Either Missing Length (Decimal) (Level 2)'*. Part of a broader unit on *'Pythagoras - Practice'*

Learn online: app.mobius.academy/math/units/pythagoras_practice/

1 Find the length of the missing side as a decimal value based on the Pythagorean theorem



a	b	c
14	11.98	45
d	**e**	**f**
8.62	9.46	10.3

2 Find the length of the missing side as a decimal value based on the Pythagorean theorem



a	b	c
14.94	5.74	8.49
d	**e**	**f**
11.49	16.08	22

3 Find the length of the missing side as a decimal value based on the Pythagorean theorem



a	b	c
10.82	12.5	6.62
d	**e**	**f**
15	9.14	13.34

4 Find the length of the missing side as a decimal value based on the Pythagorean theorem



a	b	c
6.49	9.85	5.65
d	**e**	**f**
8.17	13	11.53

5 Find the length of the missing side as a decimal value based on the Pythagorean theorem



a	b	c
112	12.64	14.94
d	**e**	**f**
22	11.49	6.89

6 Find the length of the missing side as a decimal value based on the Pythagorean theorem



a	b	c
13.42	15.42	12.07
d	**e**	**f**
13.86	18	56

7 Find the length of the missing side as a decimal value based on the Pythagorean theorem



a	b	c
10.77	6.57	8.25
d	**e**	**f**
9.93	13.29	11.61